



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

BELGE NUMARASI REFERENCE NUMBER OF LICENCE	002329-TSE-01/04
BELGENİN İLK VERİLİŞ TARİHİ DATE OF FIRST ISSUE OF LICENCE	06.05.2010
BELGENİN SON GEÇERLİLİK TARİHİ LICENCE VALID UNTIL	08.05.2021
BELGE SAHİBİ KURULUŞUN ADI NAME OF THE LICENCE HOLDER	ÖZPOR YALITIM AMBALAJ İNŞ.TURİZM YATIRIM.SAN.VE TİC.A.Ş.
BELGE SAHİBİ KURULUŞUN ADRESİ ADDRESS OF THE LICENCE HOLDER	ORG.SAN.BÖL. TÜRKMENİSTAN C. NO:4 SİNCAN ANKARA/TÜRKİYE
ÜRETİM YERİ ADI NAME OF THE MANUFACTURING PLACE	ÖZPOR YALITIM AMBALAJ İNŞAAT TURİZM YATIRIMLARI SANAYİ VE TİCARET ANONİM ŞİRKETİ
ÜRETİM YERİ ADRESİ ADDRESS OF THE MANUFACTURING PLACE	1.ANKARA ORGANİZE SANAYİ BÖLGESİ TÜRKMENİSTAN CADDESİ NO: 4 SİNCAN ANKARA / TÜRKİYE
İPTAL EDİLEN BELGE NUMARASI (Varsa) INDICATION OF SUPERSEDED LICENCE (if any)	002329-TSE-01/03
TESCİLLİ TİCARİ MARKASI REGISTERED TRADE MARK	ÖZPOR TAŞYÜNÜ
İLGİLİ TÜRK STANDARDI RELATED TURKISH STANDARD	TS EN 13162+A1 / 02.04.2015
BELGE KAPSAMI SCOPE OF LICENCE	



THERMAL INSULATION PRODUCTS FOR BUILDINGS - FACTORY MADE MINERAL WOOL (MW) PRODUCTS
1)
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,038 W/M.K
THICKNESS LEVEL: T1
DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70, -)
SHORT TERM WATER ABSORPTION CLASS:WS
LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
WATER VAPOUR DIFFUSION RESISTANCE CLASS:MU1
COATING: UNCOATED BOARD
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED
COMMERCIAL MODEL: PARTITION BOARD (07.05.2019)


01.06.2020

On Behalf Of The Head Of Certification Center
ŞİMA AKKAYA

DIRECTOR OF CONSTRUCTION MATERIAL SECTOR



This certificate also shows that the production place of the certified product meets the requirements of Institute.
This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.
TSE CONSTRUCTION MATERIALS SECTOR DIRECTORATE * Address: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telephone: 0312 416 63 79* Fax: 0312-416 66 17
TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail
info@tse.org.tr , web : www.tse.org.tr





TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS



**BELGE KAPSAMI (002329-TSE-01/04nolu belge devamı) : ÖZPOR YALITIM AMBALAJ İNŞ.TURİZM YATIRIM.SAN.VE
TİC.A.Ş.**
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN 13162+A1 / 02.04.2015

2)

REACTION TO FIRE: A1

THERMAL CONDUCTIVITY (λ): 0,038 W/M.K

THICKNESS LEVEL: T1

DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70, -)

SHORT TERM WATER ABSORPTION CLASS:WS

LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)

WATER VAPOUR DIFFUSION RESISTANCE CLASS:MU1

COATING: UNCOATED BOARD

PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED

COMMERCIAL MODEL: INSULATION BOARD (07.05.2019)

3)

REACTION TO FIRE: A1

THERMAL CONDUCTIVITY (λ): 0,038 W/M.K

THICKNESS LEVEL: T1

DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70, -)

SHORT TERM WATER ABSORPTION CLASS:WS

LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)

WATER VAPOUR DIFFUSION RESISTANCE CLASS:MU1

COATING: UNCOATED BOARD

PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED

COMMERCIAL MODEL: ROOF BLANKET (07.05.2019)

4)

REACTION TO FIRE: A1

THERMAL CONDUCTIVITY (λ): 0,037 W/M.K

THICKNESS LEVEL: T5

DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE: DS(70, -)

SHORT TERM WATER ABSORPTION CLASS:WS

LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)

WATER VAPOUR DIFFUSION RESISTANCE CLASS:MU1

TENSILE STRENGTH PERPENDICULAR TO FACES CLASS:TR 7,5

COATING: UNCOATED BOARD

PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED

COMMERCIAL MODEL: EXTERIOR COATING INSULATION BOARD (07.05.2019)

5)

REACTION TO FIRE: A1

THERMAL CONDUCTIVITY (λ): 0,039 W/M.K

THICKNESS LEVEL: T3

DIMENSIONAL STABILITY UNDER SPECIFIED TEMPERATURE AND HUMIDITY: DS(70, -)

SHORT TERM WATER ABSORPTION CLASS:WS


01.06.2020

On Behalf Of The Head Of Certification Center
ŞİMA AKKAYA

DIRECTOR OF CONSTRUCTION MATERIAL SECTOR



*This certificate also shows that the production place of the certified product meets the requirements of Institute.
*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.
*TSE CONSTRUCTION MATERIALS SECTOR DIRECTORATE * Address: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telephone: 0312 416 63 79* Fax: 0312-416 66 17
*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr



Please check the accuracy and validity of the certificate from <https://evrakkontrol.tse.org.tr/BelgeDogrulama.aspx?p=gdczskh>

2 / 3



TÜRK STANDARDLARI ENSTİTÜSÜ
TÜRK STANDARDLARINA UYGUNLUK BELGESİ
TURKISH STANDARDS INSTITUTION
CERTIFICATE OF CONFORMITY TO TURKISH STANDARDS

Markanın Tanımı Description of the Mark
TSE veya/or  veya/or **T S E**

**BELGE KAPSAMI (002329-TSE-01/04nolu belge devamı) : ÖZPOR YALITIM AMBALAJ İNŞ.TURİZM YATIRIM.SAN.VE
TİC.A.Ş.**
İLGİLİ TÜRK STANDARDI(RELATED TURKISH STANDARD) TS EN 13162+A1 / 02.04.2015

LONG TERM WATER ABSORPTION CLASS BY PARTIAL IMMERSION: WL(P)
WATER VAPOUR DIFFUSION RESISTANCE CLASS:MU1
COMPRESSIVE STRENGTH: CS(10)25
COATING: UNCOATED BOARD
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED
6)
REACTION TO FIRE: A1
THERMAL CONDUCTIVITY (λ): 0,037 W/M.K
THICKNESS LEVEL: T1
COATING: SEWED RABITZ WIRE COATED GALVANISED BLANKET
PLACE OF USE: THESE PRODUCTS CANNOT BE USED IF COMPRESSIVE CREEP IS NEEDED



01.06.2020

On Behalf Of The Head Of Certification Center
ŞİMA AKKAYA

DIRECTOR OF CONSTRUCTION MATERIAL SECTOR

*This certificate also shows that the production place of the certified product meets the requirements of Institute.
*This certificate under any circumstances cannot be changed, duplicated partially or in a way that makes it difficult to read and erasure cannot be done.
*TSE CONSTRUCTION MATERIALS SECTOR DIRECTORATE * Address: Necatibey Cad.No:112 06100 Bakanlıklar/ANKARA * Telephone: 0312 416 63 79* Fax: 0312-416 66 17
*TSE HEAD OF CERTIFICATION CENTER; Address: Necatibey Cad. No:112 06100 Bakanlıklar/ANKARA – Telephone: 0 312 416 64 81 / 416 64 27, Fax:0 312 416 66 17 E-mail :bmb@tse.org.tr , web : www.tse.org.tr



Please check the accuracy and validity of the certificate from <https://evrakkontrol.tse.org.tr/BelgeDogrulama.aspx?p=gdczsxkh>

3 / 3